#### **SECTION 1- PRODUCT IDENTIFICATION**

**PRODUCT NAME** HYDRABOOST CT

**SYNONYMS** Product is a mixture: No synonyms are available.

**PRODUCT USE** Moderately Alkaline Material

**SUPPLIER** HYDRAMASTER INC.

SUPPLIER'S ADDRESS 11015 47TH AVE W, MUKILTEO, WA 98275

(425) 776-7272

**EMERGENCY RESPONSE PHONE** PERS: 1-800-633-8253

#### **SECTION 2 – HAZARD IDENTIFICATION**

**CLASSIFICATION OF THE SUBSTANCE OR MIXTURE** 

**GHS U.S. - CLASSIFICATION** : H302 Harmful if swallowed.

> H315 Causes skin irritation

H319 Causes serious eye irritation

**LABEL ELEMENTS GHS – US HAZARD PICTOGRAMS** The product is classified and labeled according

to the Globally Harmonized System (GHS).

**HAZARD PICTOGRAMS** 

WARNING SIGNAL WORD

**HAZARD STATEMENTS** Not established

(GHS-US)

H302 Harmful if swallowed. Causes skin irritation. H315

Causes serious eye irritation. H319

PRECAUTIONARY STATEMENTS :

(GHS-US)

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

: P264 Wash skin and contaminated clothing thoroughly after handling.

: P270 Do not eat, drink or smoke when using this product. P280 Wear suitable protective gloves/protective clothing/eye

protection/face protection.

P301+ IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

P312

P302+P352 : IF ON SKIN: Wash with plenty of soap and water.

P305+351+ IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. P332+P313 If eye irritation persists: Get medical advice/attention. P337+P313 P501 Dispose of contents/container in accordance with

local/regional/national/international regulations

**CLASSIFICATION SYSTEM** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.

NFPA RATINGS (SCALE 0-4) Health = 2, Fire = 0, Reactivity = 0 HMIS RATINGS (SCALE 0-5) : Health = 2, Fire = 0, Reactivity = 0

P338

#### **SECTION 3 – COMPOSITON/INFORMATION ON INGREDIENTS**

CHEMICAL CHARACTERISTIC

: Mixtures

**DESCRIPTION** 

: Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS#	EINECS #	GHS CLASSIFICATION	
Sodium Carbonate	40-60	497-19-8	207-838-8	Skin Irrit. Cat 2, Eye Irrit. Cat 2A	
Sodium Metasilicate	10-20	6834-92-0	229-912-9	Skin Corr: Cat 1C, Eye Corr. Cat 1	
Trisodium Phosphate Crystals	10-20	10101-89-0	Not Found	Skin Irrit Cat 2	
Propylene Glycol Butyl Ether	1-5	5131-66-8 &	225-878-4	Skin Irrit. Cat 2, Eye Irrit. Cat 2A	
		18821-83-7			
Ethylenediamine Tetraacetate Na salt	1-5	64-02-8	200-573-9	Skin Irrit Cat 2, Eye Dam Cat 2A	
Alcohol Ethoxylate	1-5	68439-46-3	Not Found	Eye Irrit Cat 2B	
Sodium Percarbonate	10-20	15630-89-4	239-707-6	Oxidizing Solid Cat 2, Skin Irrit Cat 4	
				Eye Dam Cat 1	
Dimethyl ammonium chloride Mixture	0.1-1	68424-85-1	270-325-2	Acute Oral Tox. Cat 4, Skin Irr. Cat 4	
D-Limonene (citrus terpenes)	1-5	5989-27-5	227-813-5	Flam Liq Cat 3, Acute Tox Oral Cat 5,	
				Skin Irrit Cat 2, Eye Irrit Cat 2A,	
				Skin Sens Cat 1, Acute Tox Aquatic	
				Cat1	

Irrit. = Irritation, Corr. = Corrosion, Cat. = Category, Dam = Damage, Tox = Toxic, STOT SE = Single Target Organ Toxicity Single exposure.

#### **SECTION 4 – FIRST AID MEASURES**

#### **DESCRIPTION OF FIRST AID MEASURES**

GENERAL

Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice. Show the label where possible.

**EYE CONTACT** 

: Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to

ensure adequate flushing. Get immediate medical attention.

SKIN CONTACT

Remove contaminated clothing and shoes. Wash affected skin area with soap and water. Delayed skin damage is possible if product is not completely washed off. Get immediate medical attention.

**SWALLOWING (INGESTION)** 

: If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING. If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. Never give anything by mouth to an unconscious person. Get immediate medical attention.

INHALATION

: Remove to fresh air. Get immediate medical attention.

OTHER INSTRUCTIONS

: Rescue personnel must wear appropriate protective equipment during removal of victims from contaminated areas. Treat symptomatically and supportively.

## **SECTION 5 – FIRE FIGHTING MEASURES**

EXTINGUISHING MEDIA

: Dry chemical, foam, water or carbon dioxide.

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE

: In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive pressure, self-contained breathing apparatus (SCUBA) and full protective clothing. Evacuate all

non-essential personnel from the danger area.

**FIGHTERS** 

No further relevant information is available.

UNUSUAL FIRE AND EXPLOSION HAZARDS

### **SECTION 6 – ACCIDENTAL RELEASE MEASURES**

PERSONAL PRECAUTIONS,
PROTECTIVE EQUIPMENT &
EMERGENCY PROCEDURES
ENVIRONMENTAL PROCEDURES
METHODS AND MATERIALS
FOR CONTAINMENT AND
CLEAN-UP

- Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.
- : Keep spilled material away from sewage/drainage systems and waterways.
  - All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

### **SECTION 7 – HANDLING AND STORAGE**

PRECAUTIONS FOR SAFE HANDLING

: Use with adequate ventilation. Wear proper protective equipment. Do not mix with water or acids without proper dilution and agitation to prevent a potentially violent reaction.

CONDITIONS FOR SAFE STORAGE

: Store in closed, properly labeled containers. Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment for fires and spills readily available.





# **SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION**

**TLV (THRESHOLD LIMIT VALUE)** 

The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	OSHA PEL – TWA	ACGIH – TLV	ACGIH – STEL
Sodium Carbonate	Not Established	Not Established	Not Established
Sodium Metasilicate	8hr Recommended: 3mg/m³	Not Established	Not Established
Trisodium Phosphate Crystals	Not Established	Not Established	Not Established
Propylene Glycol Butyl Ether	Not Established	Not Established	Not Established
Ethylenediamine Tetraacetate (EDTA)	Not Established	Not Established	Not Established
Alcohol Ethoxylate	Not Established	Not Established	Not Established
Sodium Percarbonate	Not Established	Not Established	Not Established
Dimethyl ammonium chloride mixture	Not Established	Not Established	Not Established
D-Limonene (citrus terpenes)	Not Established	Not Established	Not Established

**EYE PROTECTION** 

: Wear chemical splash goggles or face shield.

**SKIN PROTECTION** 

: Minimize contact with product. Wear chemical resistant coveralls, boots, gloves, apron and/or suitable long-sleeved clothing.

RESPIRATORY PROTECTION

: In case of brief exposure use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

VENTILATION

: Ensure adequate ventilation.

**ADDITIONAL MEASURES** 

: Emergency eyewash and safety shower facilities should be available in the immediate work area.

**REQUIRED WORK/HYGIENE** 

: Wash hands thoroughly after handling. Keep away from all food stuffs, beverages and feed. Do not eat, drink or smoke in work area.

#### **SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

**APPEARANCE** Blue free flowing powder with mild odor.

**ODOR** Mild odor. **ODOR THRESHOLD** Not available

PH 11.0 - 11.5 (2% solution)

MELTING POINT/FREEZING Not available

**POINT** 

**BOILING POINT** : NOT EST.

**FLASH POINT** Non flammable, non combustible

**EVAPORATION RATE** Not available

Non flammable-Non combustible **FLAMMABILITY** 

LOWER FLAMMABILITY LIMIT Not available **UPPER FLAMMABILITY LIMIT** Not available **VAPOR PRESSURE** : Not available : Not available VAPOR DENSITY (AIR=1)

**RELATIVE DESNITY** > 1.

**SOLUBILITY IN WATER** : Soluble in water PARTITION COEFFICIENT n-: Not available

OCTANOL/WATER

: Not available **AUTOIGNITION TEMPERATURE DECOMPOSITION** Not available

**TEMPERATURE** 

### **SECTION 10 – STABILITY AND REACTIVITY**

**STABILITY** Stable under recommended storage conditions. No decomposition if used according to specifications

HAZARDOUS CONDITONS TO :

**AVOID** 

**INCOMPATIBLE MATERIALS** Keep away from strong acids.

HAZARDOUS DECOMPOSITION

**PRODUCTS** 

No dangerous decomposition products known.

## **SECTION 11 – TOXICOLOGICAL INFORMATION**

**TOXICOLOGICAL INFORMATION Sodium Carbonate** 

**ACUTE TOXICITY** Not Classified. LD50 values: Oral LD50: 4090mg/kg (rat).

SKIN CORROSION/IRRITATION Causes skin irritation.

**SERIOUS EYE** Causes serious eye irritation.

**DAMAGE/IRRITATION** 

**TOXICOLOGICAL INFORMATION** Sodium Metasilicate

**ACUTE TOXICITY** LD50 Oral: 1280mg/kg (Rat), 2400mg/kg (mouse)

CHRONIC TOXICITY : No data were available regarding chronic exposure, reproductive or teratological

effects, or carcinogenicity for sodium metasilicate.

**CARCINOGENICITY** This product is not classified as a carcinogen by NTP, IARC or OSHA.

TOXICOLOGICAL INFORMATION **Trisodium Phosphate Crystals** 

**ACUTE TOXICITY** Oral - rat LD50: 6,500 mg/kg; practically nontoxic

Dermal - rabbit LD50: > 7,940 mg/kg; practically nontoxic

Eve Irritation - rabbit (4-hr exp.): corrosive

Skin Irritation - rabbit: 3.3/8.0; moderately irritating

TOXICOLOGICAL INFORMATION : Propylene Glycol Butyl Ether

ACUTE TOXICITY : LD 50 Rat: 2,200 mg/kg
ACUTE INHALATION TOXICITY : No data available

**ACUTE DERMAL TOXICITY** : LD 50 Rabbit: 3,100 mg/kg

**TOXICOLOGICAL INFORMATION**: Ethylenediamine Tetraacetate **ACUTE TOXICITY**: LD50 Oral (rat): 630 - 1,260 mg/kg,

INHALATION LC50 : No data available
DERMAL LD50 : No data available
OTHER INFORMATION ON : No data available

**ACUTE TOXICITY** 

TOXICOLOGICAL INFORMATION : Ethoxylated Alcohol

**ACUTE TOXICITY** : LD50 Oral (rat): 1,378 mg/kg,

**INHALATION LC50** : No data available.

**DERMAL LD50** : LD50 Dermal (rat): > 5,000 mg/kg. **PRIMARY SKIN IRRITATION** : (Rabbit) Moderate to severely irritating.

PRIMARY EYE IRRITATION : (Rabbit) Severely irritating.

TOXICOLOGICAL INFORMATION : Sodium Percarbonate

**ACUTE TOXICITY** : Acute oral toxicity (LD50): 2200 mg/kg [Mouse].

CHRONIC EFFECTS ON HUMANS : No data available

OTHER TOXIC EFFECTS ON HUMANS

SPECIAL REMARKS ON OTHER

TOXIC EFFECTS ON HUMANS

Very hazardous in case of skin contact (irritant). Hazardous in case of ingestion, of

inhalation. Slightly hazardous in case of skin contact (sensitizer).

: Material is irritating to mucous membranes and upper respiratory tract.

TOXICOLOGICAL INFORMATION Dimethyl Ammonium Chloride mixture

ACUTE TOXICITY : LD50 values: Oral LD50: 405 mg/kg (rat). LC50 dermal: 740 mg/kg.

**CARCINOGENICITY** : US ACGIH Threshold Limit Values: A3 carcinogen: Ethanol (64-17-5) Group A3

confirmed animal carcinogen with unknown relevance to humans.

**ACUTE TOXICITY** : Very Toxic to aquatic organisms Information available upon request. Please contact

Wesmar Co. Technical Service Department.

PERSISTENCE AND

**BIODEGRADABILITY** 

This product is biodegradable.

**BIOACCUMULATION** : No data available.

TOXICOLOGICAL INFORMATION : D-Limonene (Citrus Terpenes)

ACUTE TOXICITY : LD50 Oral (rat): >5000 mg/kg. LD50 Dermal (rabbit): >5,000 mg/kg, RD50 Inhalation

(mice): > 1,000 mg/kg.

IRRITATION : Prolonged or repeated exposure can cause drying or dermatitis of skin.
 BIOACCUMULATION : No appreciable bio-concentration is expected in the environment.

**CARCINOGENICITY** : This product is not classified as a carcinogen by OSHA, IARC, ACGIH or NTP.

#### **SECTION 12 – ECOLOGICAL INFORMATION**

**ECOLOGICAL INFORMATION** : Sodium Carbonate

**ECOTOXICITY** : LC50 Fishes 1: 300mg/L, EC Daphnia: 265mg/L, LC50 Fishes 2: 740mg/L.

PERSISTENCE and : No data available.

**DEGRADABILITY** 

**BIOACCUMULATIVE POTENTIAL**: No data available.

**ECOLOGICAL INFORMATION** : Sodium Metasilicate

**ECOTOXICITY (Aquatic Toxicity)** : This material has exhibited moderate toxicity to aquatic organisms.

BIODEGRADATION : This material is inorganic and not subject to biodegradation.

**PERSISTENCE** : This material is believed to persist in the environment.

**BIOCONCENTRATION**: This material is not expected to bio-concentrate in organisms.

**ECOLOGICAL INFORMATION**: Trisodium Phosphate Crystals

**ECOTOXICITY** : Invertebrate: 48-hr EC50 Daphnia magna: >1000 mg/L; Practically Nontoxic.

Warm-water Fish: 96-hr LC50 Bluegill sunfish: 440 mg/L; Practically Nontoxic. Coldwater Fish: 96-hr LC50 Rainbow trout: 260 mg/L; Practically Nontoxic.

No definitive algal toxicity data was available for this material.

**ENVIRONMENTAL FATE** : Phosphates: Inorganic phosphates, including this product, at high concentrations in

the environment have the potential to cause eutrophication in aquatic systems. This condition is characterized by excessive algal growth, and subsequent decreases in oxygen levels. In general, proper use and disposal of this product should pose no

adverse ecological risk.

ECOLOGICAL INFORMATION : Propylene Glycol Butyl Ether

ECOTOXICITY: TOXICITY TO FISH : No data available TOXICITY TO DAPHNIA : No data available TOXICITY TO ALGAE : No data available TOXICITY TO BACTERIA : No data available

**ECOLOGICAL INFORMATION**: Ethylenediamine Tetraacetate

**ECOTOXICITY** : No data available. **PERSISTENCE AND** : No data available.

DEGRADABILITY

**BIOACCUMULATIVE POTENTIAL**: No data available.

ECOLOGICAL INFORMATION : Ethoxylated Alcohol

**ECOTOXICITY** : LC50 Rainbow Trout: 1-10 mg/l, 96hr. Value estimated from tests on similar

products.

LC50 Fathead Minow: 6 mg/l, 96hr. Value estimated from tests on similar products.

BIODEGRADABILITY : Readily biodegradable.

PERSISTENCE AND : No data available.

**DEGRADABILITY** 

**BIOACCUMULATIVE POTENTIAL**: No data available.

ECOLOGICAL INFORMATION : Sodium Percarbonate

**ECOTOXICITY** : Not available. **BOD5 AND COD** : Not available.

**PRODUCTS OF** : Possibly hazardous short term degradation products are not likely. However, long

The products of degradation are more toxic.

**BIODEGRADATION** term degradation products may arise.

TOXICITY OF THE PRODUCTS OF :

BIODEGRADATION

SPECIAL REMARKS ON THE

PRODUCTS OF BIODEGRADATION

: Not available.

**ECOLOGICAL INFORMATION** : Dimethyl Ammonium Chloride mixture

**ECOTOXICITY** : Very Toxic to aquatic organisms Information available upon request. Please contact

Hydramaster Corp. Technical Service Department.

**BIODEGRADABILITY**: This product is biodegradable.

**BIOACCUMULATIVE POTENTIAL**: No data available.

ECOLOGICAL INFORMATION : D-Limonene (Citrus Terpenes)

**ECOTOXICITY** : There is no information available at this time for this product. However, a spill may

produce significant toxicity to aquatic organisms and ecosystems. Some studies have shown that certain bacteria and fungi have the ability to degrade citrus terpenes, decreasing their toxicity to fish. When spilled, this product may act as an oil, causing a film, sheen, emulsion or sludge at or beneath the surface of a body of water

**MOBILITY** : Citrus Terpenes volatize rapidly.

**PERSISTENCE AND** : Readily biodegradable.

DEGRADABILITY

**BIOACCUMULATIVE POTENTIAL**: Bio-concentration is not expected to occur.

#### **SECTION 13 – DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL : This product must be disposed of in accordance with Federal, state and local

environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should

be classified as a hazardous waste.

### **SECTION 14 – TRANSPORTATION INFORMATION**

**DOT/IMDG/ IATA PROPER** : Not Hazardous

SHIPPING NAME

HAZARD CLASS AND LABEL : Not Applicable.
UN NUMBER : Not Applicable.
PACKAGING GROUP : Not Applicable.
EPA REPORTABLE QUANTITY : Not Applicable.

(RQ)

MARINE POLLUTANT : Not listed.

EMERGENCY RESPONSE GUIDE : Not Applicable.

#### **SECTION 15 - REGULATORY INFORMATION**

## U.N. GHS CLASSIFICATION & LABELING INFORMATION: See Section 2 for GHS Hazard Information

## **U.S. FEDERAL REGULATORY INFORMATION:**

LISTED CARCINOGEN : Not listed.

**TSCA STATUS** : The ingredients of this product are listed in TSCA inventory (40CFR 710.)

SARA SECTION 302 : No chemicals in this material are subject to the reporting requirements of SARA Title

III, Section 302.

**SARA SECTION 312** : Chronic health hazard (Glycol Ether DPM).

**SARA SECTION 313** : This material does not contain any chemical components with known CAS numbers

that exceed the threshold (De Minimis) reporting levels established by SARA Title III,

Section 313.

NFPA HEALTH:2NFPA FLAMMABILITY:0NFPA REACTIVITY:0

## **EUROPEAN UNION REGULATORY INFORMATION:**

**EC CLASSIFICATION** : Non Hazardous

**DSD/DPD RISK (R) PHRASES** : R22: Harmful is swallowed.

R36/38: Irritating to eyes and skin.

DSD/DPD SAFETY (S) PHRASES : S1/2: Keep locked up and out of reach of children.

S24/25: Avoid contact with eyes and skin.

S26: In case of contact with eyes, rinse immediately with

plenty of water and seek medical advice.

S36/S37/39: Wear suitable protective clothing, gloves and

eve/face protection.

S45: In case of accidents or if you feel unwell, seek medical advice immediately. Show label where possible.

S61: Avoid release to the environment. S62: If swallowed, do not induce vomiting.

S64: If swallowed, rinse mouth with water if victim is

conscious.

DSD/DPD HAZARD SYMBOL : Xi: Irritant

**CANADIAN REGULATORY INFORMATION:** 

WHMIS CATEGORY : D2B: Materials that cause other toxic effects (TOXIC).

**DOMESTIC SUBSTANCES LIST** 

(DSL)

: Listed

INGREDIENT DISCLOSURE LIST : Listed



#### **SECTION 16 – OTHER INFORMATION**

**DISCLAIMER** : The information contained herein has been compiled from sources believed to be

realiable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Hydramaster Corp. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and

recommendations in the specific context of their intended use.

**CERCLA** : Comprehensive Environmental Response, Compensation, and Liability Act.

**EINECS** : European Inventory of Existing Commercial Chemical Substances

IMDG
 International Maritime Code for Dangerous Goods
 IARC
 International Agency for Research on Cancer
 IATA
 International Air Transportation Association

ACGIH : American Conference of Governmental Industrial Hygienists

NFPA : National Fire Protection Association (USA)

NTP : National Toxicology Program

SARA : Superfund Amendments and Reauthorization Act

TSCA : Toxic Substances Control Act

HMIS : Hazardous Materials Identification System (USA)WHMIS : Workplace Hazardous Materials Information System

**LC50** : Lethal concentration, 50 percent

LD50 : Lethal dose, 50 percent STOT : Systemic Target Organ Toxicity

DATE PREPARED: JAN 2, 2013DATE REVISED: JAN 2, 2015